

PROUDLY HANDMADE IN THE USA
WITH AMERICAN COMPONENTS

FACTORY CAT

SWEEPERS 34 Walkie / TR Rider



FAMILY OF INDUSTRIAL CLEANING EQUIPMENT

CONCRETE POLISHING



BUILT FOR INDUSTRIAL CLEANING

Factory Cat's sweepers are built to sweep factories: dirt, dust, metal shavings, foundry sand, bolts, paper, wood, whatever there is. **Factory Cat's** are **compact**, not light-duty.

These machines are **all-steel**, and use oversized components throughout. At your in-plant inspection, you'll see top quality componentry, hefty fabrications, oversized motors, and nearly 100% stainless steel fasteners.

Factory Cat's side brooms pick up dirt in the corners. A huge tubular main broom under the machine sweeps up the dirt and debris from the floor and packs it into the steel hopper.

Meanwhile, the second stage vacuums up the dust and traps it in a polypropylene felt "baghouse" filter. **Factory Cats** can pick up whole bags of cement at a time without leaving a trace of dust behind. The filter is cleaned by an on-board mechanism, and in most cases will last the life of the machine.

Factory Cat's "Central Command" energy management system gives our silent, **electric** rider sweepers the power formerly available from only gasoline or propane-powered machines.

The **TR** is the most powerful compact battery-powered sweeper and can run a full shift on a charge.

MAKES YOU MONEY FROM DAY ONE

Few production machines can save you as much as a **Factory Cat** sweeper. If you do not now use a power sweeper, **Model TR** will **cut your labor costs for sweeping by a factor of ten or more.**

These direct labor savings permit tremendous economy, even in small plants. The **Model TR** can sweep up to 350,000 sq. ft. in one shift, and on a single charge.

Factory Cat TR rider is priced much lower than you think – less than many walk-behind machines, and a fraction of the cost of most other riders.

SPECIALISTS NOT NEEDED

Factory Cat's could not be much simpler to operate. Controls are smooth and simple, and maintenance is a snap; just put the machine on charge after every shift. No oil to change, brooms to reverse, fuel to spill, tanks to exchange, valves to grind.



**Call For A
Demonstration:
(800) 634-4060
+011-262-681-3583
www.factorycat.com**



SAWDUST IN A SINGLE PASS



DUSTLESS SWEEPING




ALL STEEL CONSTRUCTION





COMMON CUSTOMERS

- Saw Mills
- Foundries
- Fertilizer/Powder Packaging
- Distribution Centers
- Machine Shops

MODEL 34




MODEL TR



RETURN ON INVESTMENT

AREA Sq. Ft.	TIME REQUIRED TO CLEAN		Monthly Labor Savings
	By Hand	Model TR	
50,000	10 hrs	0.80 hrs	\$ 487.00
75,000	15 hrs	1.25 hrs	\$1,345.00
100,000	20 hrs	1.67 hrs	\$3,587.00
250,000	50 hrs	4.10 hrs	\$9,435.00



MADE IN USA . . . SOLD & SUPPORTED WORLDWIDE

Since 1986, our family owned company has been designing, building and supporting the best in floor maintenance equipment. Our **Factory Cat** brand services the world with unsurpassed commercial cleaning equipment, continually exceeding expectations and setting the industry bar that much higher. We favor the American Economy, and are committed to legitimate environmental best practices. Our investment in technology ensures a superior product and support for our customers. We want to ensure that we provide only the best in customer service, and that begins with our knowledgeable in-house customer support staff.

We've built our reputation by providing the highest value machines and providing local support via over 400 distributors in 42 different countries. Our Authorized Distributors maintain a "factory trained" technical department, with a vested interest in our customers' long term satisfaction. **Factory Cat** offers a full line of equipment that includes sweepers, scrubbers and burnishers in both walk behind and rider models.



Model	Walk Behind 34	Rider TR
Construction		
Frame:	1/8" Steel	1/8" Steel
Front Wheels:	5" x 2" (caster)	(1) 10" x 3"
Rear Wheels:	(2) 10" x 3"	(2) 14" x 5"
Dimensions: (L x W x H):	58" x 31" x 38"	64" x 37" x 55"
Weight (without batteries):	355 lbs	850 lbs
Weight:	450 lbs	1,350 lbs
Sweeping System		
Sweeping Method:	Direct Throw	Direct Throw
Broom (length x dia):	26" x 10"	32" x 10"
Broom Power/Speed:	1.0 hp/400 rpm	1.0 hp/440 rpm
Side Broom Size:	(1) 17"	(2) 17"
Side Broom Power:	(1) 0.3 hp	(2) 0.3 hp
Side Broom Speed:	65 rpm	100 rpm (variable)
Hopper Capacity:	2.0 cubic ft	4.2 cubic ft
Battery System		
Battery Run Time:	3 to 5 hours	4 to 7 hours
Charger (110v/60 Hz, auto):	25 amp	25 - 40 amp
Filtering System		
Filtering Material:	Polymer Felt	Polymer Felt
Filter Rating:	1 Micron	1 Micron
Size:	5,182 sq. inches	5,182 sq. inches
Vacuum Rating:	250 cfm	270 cfm
Drive System		
Drive Power:	1.0 hp	1.0 or 1.5 hp
Speed Control:	0 to 3 mph	0 to 4 mph
Productivity		
Cleaning Width:	34"	46"
Cleaning Rate:	30,214 ft/hr	60,568 ft/hr
General		
Sound Level:	70 dBA	68 dBA
Standard Equipment:	Low Battery Indicator	Headlight, Horn, Auto Parking Brake
Optional Equipment:	HD Bumper	Strobe, Back-up Alarm, Overhead Guard, Battery Packs Non-Marking Tires

AUTHORIZED DISTRIBUTOR

FACTORY CAT®

Manufactured By:
R.P.S. Corporation
P.O. Box 368
Racine, Wisconsin 53401
Phone: (800) 634-4060
International: +011-262-681-3583
Fax: (866) 901-3335
www.factorycat.com



Copyright R.P.S. Corporation 2014. All rights reserved. Since our policy is one of constant improvement, all specifications are subject to change without notice or penalty.