

FACTORYCAT

ZERO³


Chemical Free Cleaning Technology

ONBOARD SYSTEM




Solution Flow Rate:	0.4 GPM
Ozone Concentration: <small>*(Depends on Unit / Supply Water / Temp / pH)</small>	0.5 - 1.20 PPM*
Power Supply:	24 - 36 VDC / 60 HZ

WAREHOUSING FOOD & BEVERAGE PACKAGING SPORTS ARENAS HANGARS



OZONE & HOW IT WORKS

Ozone gas creation occurs naturally and is perceived as having a sharp scent which can be noticed by its aroma outside following a lightning storm.



① Oxygen (O_2) in the ambient air is drawn through the Ozone generator.


② Inside the Ozone generator, the O_2 molecules in air are split into O_1 via a corona arc.

③ These (O_1) atoms bond to remaining Oxygen (O_2) creating Ozone (O_3). The third oxygen atom's bond remains radical and unstable and seeks organic matter to oxidize.

④ We inject the O_3 molecules into the solution stream. O_3 molecules in the solution are then drawn to any contaminants (viruses, bacteria, mold, etc.) in which the solution is applied to.

⑤ When the O_3 molecule finds contaminants, due to the radical bond, the O_3 molecule will split and attach to the contaminant and break through the cell wall, destroying the contaminant.

⑥ Once the contaminant is destroyed, only Oxygen is left in the solution.




Eliminate Odors Easily

Use of cleaning equipment creates dirty cleaning equipment. When cleaning equipment is not cleaned thoroughly, usage and storage results in smells and cross contamination when used again.

Ozone (O_3) is widely use to eliminate odors from fire, smoke, pets and many household problems. A properly implemented Ozone solution results in odor removal, leading to reduced complaints and a healthier work environment.

VIEW INSIDE

- ① Fresh Water Filter
- ② Air Dryer
- ③ Ozone Generator ($O_2 \rightarrow O_3$)
- ④ Valve / Pump
- ⑤ O3 Injector
- ⑥ ZERO₃ Solution Output



Effective General Purpose Cleaner

Destroys known pathogens that have developed resistance to standard cleaning methods. Ozone's third radical atom makes it an extremely strong oxidizer.



Saves The Bottom Line

Save money compared to chemicals. Remove the high cost associated with transportation of detergents and the cost of labor to mix detergents. No operator mixing or prep required.



Historically Backed Science

The use of Aqueous Ozone as an effective and safe oxidizer of organic matter spans over 100 years. Used in water treatment plants around the world for disinfecting and sanitizing.



Environmentally & Operator Safe

There is no danger of a costly chemical spill, employee health is protected and promoted. Operator friendly. Non-caustic, Non-toxic, antimicrobial, and no allergy worries.

CALL FOR A DEMONSTRATION



800-634-4060
(+001)-262-681-3583
www.factorycat.com

Since 1986, our family owned company has been designing, building and supporting the best in floor maintenance equipment.


AUTHORIZED DISTRIBUTOR




Manufactured By
R.P.S. Corporation
1711 South Street
Racine, Wisconsin 53404 (USA)
Phone: (800) 634-4060
International: (+001) 262-681-3583
www.factorycat.com

Copyright R.P.S. Corporation 2017. All rights reserved. All specifications are subject to change without notice.

Nano-Bubbles Make A Difference



Ozone (O_3) filled Nano-Bubbles generated by the ZERO₃ system provide extended cleaning effectiveness by being less likely to rise to the surface.



Nano-Bubbles fit into the smallest areas possible to destroy micro-sized contaminants which is what makes ZERO₃ successful.

Want Proof of Cleaning?



To measure how well cleaning protocols and products work, many professionals use ATP (Adenosine Triphosphate) meters to evaluate “Before” and “After” cleaning results.